
COVID-19 Alert: 23 May 2021




Highlights (as at 23 May 2021):

- 6,976 new cases recorded with Selangor reported the highest daily number with 2,235, followed by Kelantan with 626 cases.
- Number of Covid-19 patients being treated at intensive care units stood at 681.
 - Daily Covid-19 death toll at 49 wit death rate at 0.44%.



INFO





Highlights (as at 22 May 2021):

 Globally, the 7-day average COVID-19 cases in Malaysia has been rising, currently at 171 cases per 1 million people compared with 191 cases per 1 million people in India.





A US CDC study concludes that double-masking (with a cloth mask on top of a medical-grade mask) can substantially reduce the wearer's exposure to COVID-19

The studies they performed examined two ways of enhancing mask use:



 Knotting the ear loops of the surgical mask and tucking in and flattening the material close to the face



2. Double-masking

INFO

Wearing of double face masks recommended, says Health DG


https://www.thestar.com.m y/news/nation/2021/05/22/ covid-19-wearing-of-doublefacemasks-recommendedsays-health-dg

as reported in the Star on 22 May 2021











How To Pairing It Up



Always pair a surgical and a cloth mask for double masking





However, N95 is the gold standard as it can filter 95% of particles and no doubling up is required.







LINDUNG DIRI, LINDUNG SEMUA.

Pemantauan Kesihatan Vaksin COVID-19 AstraZeneca

Vaksin adalah selamat dan kesan sampingan adalah ringan dan sementara. Namun penerima vaksin COVID-19 AstraZeneca dinasihatkan untuk mendapatkan rawatan segera sekiranya mengalami gejala-gejala berikut dalam tempoh 4 minggu setelah mendapatkan vaksin.

- Sakit kepala yang teruk dan tidak berkurangan setelah mengambil ubat tahan sakit ataupun sakit itu bertambah teruk
- Sakit kepala yang lebih teruk ketika baring, tunduk atau bongkok
- Sakit kepala luar biasa disertai dengan pandangan kabur, loya dan muntah, sukar bertutur, lemah, mamai atau sawan
- Berlakunya lebam atau pendarahan secara tiba-tiba tanpa sebab yang diketahui
- Sukar bernafas, sakit dada, bengkak pada kaki atau sakit perut yang berterusan









Kementerian Kesihatan Malaysia











MYHEALTHKKM











